JOGNN SUBJECT INDEX

Volume 26

A

Accelerating clinical improvement, in reorganization of care, 334
Addiction
  child placement issues with, 585
  nicotine, 477
  in pregnant adolescents, 577
  prevalence, profiles, and meaning of in women, 449
  relationship issues in, 469
  understanding of, 441
Adolescents
  addiction during pregnancy in, 577
  social support and maternal confidence in, 685
Advanced practice nurses, 629
  in integrated health care systems, 217
Airway management, laryngeal mask in, 171
Alcohol abuse
  depression and, 567
  drug treatments for in women, 459
  relationship issues in, 469
Antepartum nonstress tests, semi-Fowler's positioning and lateral tilt effects on, 551
Anticardiolipin antibodies, in antiphospholipid antibody syndrome, 522
Antiphospholipid antibodies, threat of during pregnancy, 162
Antiphospholipid antibody syndrome, 162
  overview of, 522
Aortic stenosis, in pregnancy, 67
Apgar scores, 15
Appropriate-for-gestational age newborns, behavior of, 198
Assessment, of metabolic bone disease in very-low-birth-weight infants, 297
Assessment tools, breastfeeding, 181

B

Bed rest, in high-risk pregnancy, 423
Behavioral assessment, for macrosomic and appropriate-for-gestational age neonates, 198
Biogenetic predisposition, to addiction, 449
Biological risk, of older gravida, 206
Bone disease, metabolic, in very-low-birth-weight infants, 297
Bottle-feeding histories, of preterm infants, 414
Brazelton Neonatal Behavioral Assessment Scale, for macrosomic and appropriate-for-gestational age neonates, 198
Breast cancer, prevention trial for, 79
Breastfeeding
  after early discharge, 630
  application of tea bags to sore nipples during, 53
  assessment tools for, reliability and validity testing of, 181
  factors influencing cessation of, 289
  incidence after early discharge, 289
  NICU record of, 515
  patterns of low-birth-weight infants after hospital discharge, 189
  research on, 373

C

Canadian health care system, development, reform, and opportunities in, 229
Cancer prevention, breast, 79
Care delivery team, 11
Case management, strategies to support perinatal experience in, 329
Cerebral palsy, urinary tract infection as risk factor for, 405
Chemically dependent women, parenting effectiveness of, 604
Child care practices, traditional Indian, 533
Child placement issues, addiction and, 585
Childbearing women
  nicotine and, 477
  sexuality concerns of, 651
Childbirth, traditional practices in India, 533
Clinical nurse specialists, in health care system, 101
Clinical paths, strategies to support perinatal experience in, 329
Clinical research coordinator, in multicenter clinical trials, 279
Clinical service, reorganization of, 334
Clinical trials, clinical research coordinator's role in, 279
Cocaine, in utero exposure to, 595
Collaborative practice teams, in outcomes management, 342
Community nursing centers, nurse managed care models of, 224
Continence
  urinary, 370
  for women, 375
Contraception. *See also* Oral contraception; *specific forms of*
  emergency, 145
  new options for, 91
Counseling, for emergency contraception, 145
Couples, sexuality concerns during childbearing year of, 651
Cross-cultural comparison, of stressful events during pregnancy, 303
Cross-training, in patient-focused models of care, 320
Cultural factors, in health behaviors of childbearing women, 665
Custody issues, for women with addictions, 585

D

Dartmouth-Hitchcock Medical Center experience, 334
Delivery nurses, in research utilization project, 701
Demographic/Pregnancy Questionnaire, measuring social support effects, 433
Demographics, in future family health care, 109
Depression, substance abuse and, 567
Drug abuse
  depression and, 567
  drug treatments for in women, 459
  in utero exposure and, 595
  prevalence, profiles, and meaning of in women, 449
  relationship issues in, 469
  understanding of, 441
Drug exposure, in utero, outcomes with, 595
Drug treatment, traditional and new models of, 459
Dual diagnoses, understanding women with, 567
Dyspareunia, case reports of, 19

E

Early discharge
  breastfeeding after, 630
  breastfeeding incidence after and factors influencing cessation, 289
Editorial
  fat as health issue, 255
  involvement, 139
  nursing process, 627
  service, 499
  teamwork, 11
  urinary incontinence, 370
Emergency contraception, nurse's role in, 145
Episiotomy, selective versus routine, 155, 373
Exclusive provider organization, in health care delivery of 1990s, 212
Exercise, in pregnancy, 143

F

Family health care delivery, for 21st century, 109
Family planning, natural, 643
Family therapy, for drug abuse in women, 459
Fat, as health issue, 255
Feeding, continuous versus intermittent sucking during, 313
Fetal alcohol effects, 595
Fetal alcohol syndrome, incidence of, 595
Fetal anomalies, pregnancy interruption for, 559
Fetal heart rate monitoring, guidelines for interpreting, 635
Foster care, for children of women with addictions, 585

G

Group therapy, for drug abuse in women, 459

H

Health behaviors
  of Korean women, 665
  social support effects on, 433
Health care system
  advanced practice nursing in, 101
  Canadian, 229
  delivery in 1990s, 212
  family, 109
  patient-focused models in, 320
  reorganization of, 334
  service in, 499
Health maintenance organizations, in health care delivery of 1990s, 212
Health Pregnancy Questionnaire, 35
Health promotion model, in health care delivery of 1990s, 212
High-risk pregnancy, bed rest in, 423
Hormonal implants, new options for, 91
Hospital discharge, breastfeeding patterns of low-birth-weight infants after, 189
Hysterectomy, sense of well-being before and after, 540

I

Immunologic adaptations, during pregnancy, 388
Incontinence
  incidence of, 375
  urinary, 370, 375
India, traditional maternal and child care practices in, 533
Indian Child Welfare Act, 585
Infant Breastfeeding Assessment Tool
  for low-birth-weight infants, 189
  reliability and validity testing of, 181
Infants
  knowledge of development of and maternal confidence, 685
  metabolic screening of, 257
  nipple discomfort and nutrition in, 53
  terbutaline in utero exposure and, 691
Integrated health care systems, advanced practice nurse in, 217
Intrapartum nursing, initiating changes in, 709
Intrauterine devices, new options for, 91
Involvement, benefits of, 139

K

Korean women, childbearing, 665

L

Labor
  positioning during second stage of, 727
  pushing techniques during, 719
  second stage of, 15
    managing, 701
  traditional practices in India, 533
Labor nurses, in research utilization project, 701
Lactation, organizing and documenting support of for NICU families, 515
Laryngeal mask airway, potential applications of in neonatal care, 171
LATCH assessment tool, reliability and validity testing of, 181
Lateral tilt positioning, effect on nonstress tests, 551
Letters, I, 15, 143, 373, 629
Life care partners, in health care delivery of 1990s, 212
Low-birth-weight infants
  breastfeeding patterns of after hospital discharge, 189
  pacifier for nonnutritive sucking of, 660
Low-income women, social support effects on prenatal care and health behaviors of, 433
Lupus anticoagulant, in antiphospholipid antibody syndrome, 522

M

Macrosomic newborns, behavior of, 198
Managed care
  community nursing models of, 224
  impact of, 212
Maternal anticardiolipin antibodies, in antiphospholipid antibody syndrome, 522
Maternal confidence, social support and, 685
Maternal practices, traditional Indian, 533
Maternal self-esteem, terbutaline in utero exposure and, 691
Mature gravidas, psychosocial adjustment during pregnancy for, 206
Metabolic bone disease, in very-low-birth-weight infants, 297
Metabolic screening, infant, 257
Mother Baby Assessment Tool, reliability and validity testing of, 181
Multicenter clinical trials, clinical research coordinator's role in, 279

N

Natural family planning, what nurses should know about, 643
Neonatal care, laryngeal mask airway applications in, 171
Neonatal intensive care unit
  lactation support for families in, 515
  tour of, 59
Neonatal Medical Index, bottle-feeding and, 414
Neonatal nurse practitioners, in metabolic bone disease assessment, prevention, and treatment, 297
Neonates
  behavior of macrosomic and appropriate-for-gestational age, 198
  nutrition in, 143
Network therapy, for drug abuse in women, 459
Neural tube defects, prevention of, 503
Newborn death, parents' experience surrounding, 43
Nicotine
  in childbearing women, 477
  replacement, during pregnancy, 397
Nipples
  sore, 629
  soreness rating for, 53
  tea bags compresses for, 53
Nonstress tests, semi-Fowler's positioning and lateral tilt effects on, 551
Norbeck Social Support Questionnaire, 433
Nurse advocacy, for selective versus routine episiotomy, 155
Nurse anesthetists, in health care system, 101
Nurse practitioners
  in health care system, 101
  in integrated health care systems, 217
  in metabolic bone disease assessment, prevention, and treatment, 297
Nurse-midwives, in health care system, 101
Nurses, knowledge of natural family planning of, 643
Nurse-technology relationship, 673
Nursing
  advanced practice, 101
    in integrated health care systems, 217
  development, reform, and opportunities of in Canadian health care system, 229
Nursing models, for managed care, 224
Nursing practice, initiating changes in intrapartum period, 709
Nursing process, conditions of, 627

Nursing role
in emergency contraception, 145
in identification of risk and treatment of shoulder dystocia, 25
in preventing neural tube defects, 503
in von Willebrand disease diagnosis, 271
Nursing teams, 11
Nutrition
health and, 255
neonatal, 143

O

Opiates, in utero exposure to, 595
Oral contraception
emergency, 145
new options for, 91
Outcomes
for children exposed to drugs in utero, 595
management of in women's health, 342
Outpatient treatment, for drug abuse in women, 459

P

Pacifier, for low-birth-weight infants' nonnutritive sucking, 660
Pain, nipple, tea bags compresses for, 53
Parenting effectiveness, of chemically dependent women, 604
Parents
experience surrounding newborn death, 43
neonatal intensive care unit tour during high-risk pregnancy, 59
rights of and addiction, 585
Patient-focused health care models, 320
Patient self-testing, 631
Pelvic muscle exercise, for urinary incontinence, 375
Perinatal care
case management and clinical paths in, 329
patient-focused models of, 320
Phenytoin, for preeclampsia, 263
Point of service plans, in health care delivery of 1990s, 212
Positioning, during second stage of labor, 727
Postcoital contraception, emergency, 145
Preeclampsia, phenytoin for, 263
Preferred provider organizations, in health care delivery of 1990s, 212
Pregnancy
addictions during adolescence, 577
antiphospholipid antibodies during, 162
aortic stenosis in, 67
exercise in, 143
high-risk
bed rest in, 423
neonatal intensive care unit tour during, 59
immunologic adaptations during, 388
interruption of for fetal anomalies, 559
prevention of and STDs, 15
psychosocial adjustment during, 206
smoking cessation plan during, 397
stressful events during, 303
traditional practices during, 533
urinary tract infection during, 405
Pregnancy loss, antiphospholipid syndrome associated with, 162
Pregnant women, responses to potential preterm labor symptoms, 35
Prenatal care, social support effects on, 433
Prenatal Health Questionnaire, measuring social support effects, 433
Preterm infants, bottle-feeding histories of, 414
Preterm labor symptoms, responses to potential, 35
Prevention
of metabolic bone disease in very-low-birth-weight infants, 297
model of in health care delivery of 1990s, 212
of neural tube defects, 503
Psychiatric diagnosis, substance abuse and, 567
Psychological development, addiction and, 469
Psychological factors, in addiction, 449
Psychosocial adjustment, during pregnancy for mature gravidas, 206
Pushing techniques, 719

Q

Quality assurance, in infant metabolic screening, 257

R

Reform, in Canadian health care system, 229
Relationship issues, in women with addictions, 469
Research utilization project
for initiating nursing practices changes in intrapartum, 709
strategies for designing, 701

S

Salvadoran women, stressful events among during pregnancy, 303
Semi-Fowler's positioning, effect on nonstress tests, 551
Service, 499
Sexuality
before and after hysterectomy, 540
concerns about during childbearing period, 651
Sexually transmitted disease, pregnancy prevention and, 15
Shoulder dystocia, identifying risk and treating, 25
Smoking, in childbearing women, 477
Smoking cessation programs, for pregnant women, 397, 477
Social support
for adolescent and adult mothers, 685
in prenatal care and health behaviors of low-income women, 433
Spermicides, new options for, 91
Stress
in addiction, 449
with bed rest during high-risk pregnancy, 423
Stressful events, among pregnant Salvadoran women, 303
Substance abuse
in utero exposure and, 595
linked with psychiatric diagnoses, 567
Sucking
continuous versus intermittent in very-low-birth-weight infants, 313
nonnutritive, 660

T

Tamoxifen, efficacy in preventing breast cancer, 79
Tea bags, application to sore nipples while breastfeeding, 53
Technology, nurses' role in, 673
Teenage pregnancy, addictions and, 577
Terbutaline, in utero exposure to, 691
Therapeutic communities, for drug abuse in women, 459
Total quality management, in infant metabolic screening, 257
Twelve-step models, for drug abuse in women, 459

U

Ultrasonography, nurses' role in, 673
Urinary incontinence
incidence of, 375
types of, 370
Urinary tract infection, during pregnancy, 405

V

Vaginal spermicides, new options for, 91
Very-low-birth-weight infants
continuous versus intermittent sucking in, 313
metabolic bone disease in, 297
Viability, newborn death at margin of, 43
Volunteering, benefits of, 139
von Willebrand disease, nursing perspective on, 271

W

Well-being, sense of, before and after hysterectomy, 540
Wellness models, in health care delivery of 1990s, 212
Women's health, changing practices and, 373

JOGNN AUTHOR INDEX

Volume 26

A

Alteneder, R.R., 651
Ashcroft, T., 423
Attenborough, R., 229
Atterbury, J.L., 522

B

Baker, B.J., 515
Bellamy, G., 540
Bendell, A., 212
Berbiglia, V.A., 665
Biancuzzo, M., 11
Bower, K.A., 329
Bowman, C., 303
Boyd, C., 469
Bragg, E.J., 577
Brimacombe, J., 171
Bryar, S.H., 559
Burns, P.A., 375

C

Calhoun, S., 35
Choi, E., 303
Choudhry, U.K., 533
Clark, K., 643
Comport, K.A., 67
Cox, R.P., 109
Croop, J., 540
Culbert, G., 540

D

D'Apolito, K., 595
Davis, S.K., 604
Dougherty, M.C., 375

E

Easa, D., 279
Egan, J.F.X., 35
Engebretson, J.C., 660

F

Fitzgerald, S.M., 101
Flagler, S., 441, 585
Fleschler, R., 342
Forsberg, S.A., 257
Fredericksen, T., 35
Freston, M.S., 35

G

Gaffney, K.F., 303
Gandini, D., 171
Geldmaker, B., 414
Gioia, K., 271
Griffin, T., 59
Groome, L.J., 522
Gupton, A., 423

H

Haller, K.B., 11, 255, 310, 627
Haller, S., 289
Hall, S.P., 25
Hammer, R.H., 162
Hannan, M., 271
Hartzell, D., 651
Heaman, M., 423
Henderson, D., 469
Henry, J.K., 224
Hepworth, J.T., 198
Hewell, S.W., 19, 162
Hill, P.D., 189
Houston, S., 342
Howard, J.Y., 665
Huffman, C., 673
Hughes, T.L., 441
Hupp, S.C., 691

J

James, D.C., 685
Jessup, M., 449
Jones, G.B., 303
Jones, K.D., 19
Jordan, E.T., 263

K

Kavanaugh, K., 43, 59
Kavanaugh, K.L., 189
Kearney, M.H., 459
Kenner, C., 595
Kilby, J.W., 397
Kirchhoff, K.T., 297
Kleinert, D., 271
Kobokovich, L.J., 334
Koehn, M., 181
Koepsell, D., 289
Kovalesky, A., 441, 585

L

Lambden, M.P., 540
Lavergne, N.A., 53
Ledbetter, R.J., 189
Lehr, S.T., 19
Lia-Hoagberg, B., 433
Lindberg, C.E., 145
Lowe, N.K., 499
Lucas, L.S., 263

M

Maier, J.S., 155
Malchodi, C., 35
Maloni, J.A., 155
Mauck, A.G., 414
McKeon, V.A., 79
Moffatt, F.W., 551
Moore, S., 540
Munn, M.B., 522

N

The National Institute of Child Health and Human Development Research Planning Workshop, 635
Naegle, M.A., 567
Newman, D.K., 375
Nickel, J.T., 405

O

O'Connell, K.A., 477
Ogburn-Russell, L., 540
Orto, C., 271

P

Pelke, S., 279
Pence, M., 320
Pepin, T., 540
Pickler, R.H., 414
Polivka, B.J., 405
Preece, C.K., 540
Pressler, J.L., 198
Priddy, K.D., 388

Q

Quinn, A.O., 289

R

Rasmussen, T.W., 515
Reifsnider, E., 91
Riordan, J.M., 181
Ruchala, P.L., 685

S

Salinger, L., 35
Sampselle, C.M., 375
Sandelowski, M., 673
Schaffer, M.A., 433
Scheibmeir, M., 477

Seng, J.K., 67
Shiao, S.-Y.P.K., 313
Sinclair, B.P., 217
Smith, S.L., 297
Soto, C.F., 59
Stark, M.A., 206
Sterling, B.S., 503

T

Tavangar, N.N., 303
Ten Broeck, J.S., 139
Thayer, J.S., 691
Thomas, K.K., 375
Tinkle, M.B., 503
Trent, A.J., 643

V

Van den Hof, M., 551

W

Wardell, D.W., 660
White, M., 59
Wilkins, J.R., III, 405
Wood, S.H., 101
Wyman, J.F., 375

Y

Yarnell, J.A., 522
Yi, K., 303
Young, S., 35

STATEMENT OF OWNERSHIP, MANAGEMENT, AND CIRCULATION (Act of August 12, 1970; Section 3685; Title 39 United States Code) Date of Filing October 1, 1997. Title of Publication—*Journal of Obstetric, Gynecologic, and Neonatal Nursing*; Frequency of Issue—Bimonthly; Annual Subscription Price—$50.00; Location of Known Office of Publication—Lippincott–Raven Publishers, 12107 Insurance Way, Hagerstown, MD 21740; Location of the Headquarters or General Business Offices of the Publisher–Lippincott–Raven Publishers, 227 East Washington Square, Philadelphia, PA 19106; Publisher—Lippincott–Raven Publishers, 227 East Washington Square, Philadelphia, PA 19106; Editor—Karen B. Haller, The Johns Hopkins Hospital, Medical Nursing Dept., Room 9054, 1830 E. Monument Street, Baltimore, MD 21205-2100; Managing Editor—Lillian Biller, 700 14th Street NW, Suite 600, Washington, DC 20005-2006; Owner—Association of Women's Health, Obstetric and Neonatal Nurses, 700 14th Street NW, Suite 600, Washington, DC 20005-2006; Known Bond Holders, Mortgagees, and other security holders owning or holding 1 percent or more of the total amount of bonds, mortgages, or other securities—None. A. Total no. copies printed (*net press run*), average 25,367, actual 26,700; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average None, actual None. 2. Mail subscriptions, average 23,874, actual 24,896. C. Total Paid Circulation, average 23,874, actual 24,896. D. Free distribution by mail (samples, complimentary, and other free), average 710, actual 792. E. Free distribution outside the mail (carriers or other means), average None, actual None. F. Total free distribution (sum of D and E), average 710, actual 792. G. Total distribution (sum of c and f), average 24,584, actual 25,688. H. Copies not distributed 1. Office use, leftover, unaccounted, spoiled after printing, average 783, actual 1,012; 2. Returns from news agents, None; I. Total [sum of G, H(1), and H(2)], average 25,367, actual 26,700. I certify that the statements made by me above are correct and complete. Beverly V. Dietrich, *Circulation Director.*